



LSFSR400BT-UK 400L Laboratory Plus Refrigerator – Solid Door

LSFSR400BT-UK 400L LABORATORY
PLUS REFRIGERATOR - SOLID DOOR

SPECIFICATION

Dimensions	595mm x 633mm x 1575mm
Weight	58kg
Gross Capacity (Litres)	394L
Net Capacity (Litres)	394L
Unit External Width (mm)	595mm
Unit External Depth (mm)	660mm
Unit External Height (mm)	1935mm
Product Weight	61.8kg
Packed Width (mm)	640mm
Packed Depth (mm)	635mm
Packed Height (mm)	1995mm
Packed Weight (kg)	70.8kg
Country Of Origin	UK
Internal Dimensions (mm) (WxDxH)	515mm x 480mm x 1783mm
Temperature Range	+2°C to +10°C
Colour	White/Green
External Finish	Painted Steel

Internal Finish	HIPS*
Type Of Plastic	SRL800 (HIPS/ABS Mix)
Door Finish	Painted Steel / Solid
Door Type	Solid
Door Style	Hinged, Reversible
Door Liner	Balcony
Number of Door Trays	7
Number of Door Tray Positions	13
Door Open Depth (mm)	1150mm
Replacement Door Seal	Yes
Open Door Sensor	Yes
Lock	Yes, 2 Keys
Adjustable Feet	2 Front Adjustable
Porthole	Yes
Porthole Size (mm)	16mm
Porthole Location	Rear Bottom
Temperature Display On Panel	Yes
Temperature Alarm	Yes
Remote Alarm Contacts	Yes
Audible Alarms	Yes
Visual Alarms	Yes
Number Of Shelves	7
Number Of Shelf Positions	12
Shelf Size (mm) (WxDxH)	495mm x 325mm x 6mm
Shelf Material	Polythene Coated Wire
Number Of Baskets	1
Basket Material	Polythene Coated Wire
Basket Size (mm) (WxDxH)	485mm x 180mm x 171mm
Interior Light	No
Fan	No

Spark Free	Yes
Defrost Setting	Auto (Off Cycle)
Controller Type	Digital, External
Bluetooth	Yes
Number Of Probes	1
Probe Type	Air
Ambient Temperature Range	10°C to +32°C
Refrigerant Type	R600a
CFC Free	Yes
HFC Free	Yes
HCFC Free	Yes
Ammonia Free	Yes
UK 3 Pin Plug	Yes
Other Plug Types Available	Yes
Voltage Supply (V)	220-240V
Insulation Thickness (mm)	45mm
Insulation Type	High Density Polyurethane Foam
Cyclopentane	Yes
Anti Microbial Handle	Yes
Wall Brackets	No
Optional Drawer System Available	No
Optional Digital Lock	No
Other Door Option	No



For more information contact us on
 email: enquiries@medlinescientific.com